

PA-IDC

## QUERY CONTROL FORM

## RTIS USE ONLY

Application No. 09/888369  
 Examiner-GAU Keen-3691

Prepared by TMcGill  
 Date 8/12/04  
 No. of queries 1

Tracking Number 5948631  
 Week Date 5/10/02  
 T-10 Reuse IFN

## JACKET

|                      |                        |                    |                |
|----------------------|------------------------|--------------------|----------------|
| a. Serial No.        | f. Foreign Priority    | k. Print Claim(s)  | p. PTO-1449    |
| b. Applicant(s)      | g. Disclaimer          | l. Print Fig.      | q. PTOL-85b    |
| c. Continuing Data   | h. Microfiche Appendix | m. Searched Column | r. Abstract    |
| <u>d. PCT</u>        | i. Title               | n. PTO-270/328     | s. Sheets/Figs |
| e. Domestic Priority | j. Claims Allowed      | o. PTO-892         | t. Other       |

**SPECIFICATION**

- a. Page Missing
- b. Text Continuity
- c. Holes through Data
- d. Other Missing Text
- e. Illegible Text
- f. Duplicate Text
- g. Brief Description
- h. Sequence Listing
- i. Appendix
- j. Amendments
- k. Other

**MESSAGE** Palm/Bib sheet shows PCT/US00/34101 as 371 and 903 form is present. Amendment dated 6-5-03 shows said PCT as a continuation.

Please Advise.

**CLAIMS**

- a. Claim(s) Missing
- b. Improper Dependency
- c. Duplicate Numbers
- d. Incorrect Numbering
- e. Index Disagrees
- f. Punctuation
- g. Amendments
- h. Bracketing
- i. Missing Text
- j. Duplicate Text
- k. Other

Thank You

initials TMM

**RESPONSE** Palm/Bib sheet and 903 form are correct and the first page of the specification has been amended to agree with the palm/Bib sheet. An examiner's amendment has been used to correct the error appearing in the specification.

initials BCZL